



TYPE

LENGTH

HULL MATERIAL



OVERVIEW



DESIGNER

SPEED

N/A

N/A

Sail

45' (13.72m)


BEAM	25′ 9″ (7.85m)	ENGINES	2x, Yanmar, 57 HP
DRAFT	4′ 10″ (1.47m)	RANGE	
BUILDER	EXCESS CATAMARANS	FLAG	United States

Fiberglass **TAXES PAID**



ASKING PRICE POA

TJB SUPER YACHTS LTD SVC ACCOUNT M: T: E: INFO120120220343@TJB-SUPER-YACHTS-LTD.COM









































DETAILED SPECIFICATIONS

MAIN CHARACTERISTICS

TYPE SAIL

COUNTRY OF REGISTRY UNITED STATES

PORT OF REGISTRY BUILT 2024

REFIT N/A

BUILDER EXCESS CATAMARANS

NAVAL ARCHITECH N/A

EXTERIOR DESIGNER N/A

INTERIOR DESIGNER N/A

LWL N/A

BEAM 25′ 9″ (7.85M)

MAX DRAFT 4' 10" (1.47M)

CONSTRUCTION N/A

HELIDECKS/HANGER N/A

Options Ordered in Addition to Standard Specs

Owner's Version (3 Cabins, 3 Heads)

ELECTRIC PACK:

- AC electric circuit: 32A Shore Power, USB and 230V outlets, 40A charger, additional 4x95A AGM batteries with controller
- GARMIN ELECTRONICS:
- Autopilot | Speed-Depth-Temp Transducer | Wind transducer
- Starboard helm station: GMI20 | GHC50 displays
- Portative compass
- External USB outlet at starboard helmstation
- Electric primary winch
- Dimmer for cockpit and salon lighting
- Upper starboard galley storage
- Starboard double helm seat
- Aft porthole in aft cabins with curtain
- Lateral porthole in galley
- Opening portholes x2 on forward roof



• Pulse Line:

- PULSE LINE Rigging & Sail Plan
- Mainsail barber hauler
- Ball-bearing trimmable genoa cars
- Square top mainsail and overlapping genoa in grey eXRP Ekko laminate [Replaces standard white Dacron]
- Textile lifelines [Replaces standard]
- PULSE LINE hull decoration [Replaces standard]
- PULSE LINE composite steering wheels x2 [Color: orange]
- Flat Winder for mainsail traveler
- Port Electric Winch
- Code O Gear w/ Long Grey Bowsprit
- Code 0 in Mylar & Furler
- Lazy Bag

ELECTRONICS:

- Garmin GPSMAP 12" Display at Starboard Helm Station
- Garmin Fantom Radar 18"
- VHF Garmin Single Handset
- AIS 800 Garmin Transceiver

OUTSIDE EXPERIENCE:

- Skylounge
- Skylounge CushionS
- Exotic Wood Cockpit Table w/ Extension & Cover
- Windlass Remote Control at Helm Station w/ Chain Conter
- Pulits w/ Composite Seats and Forward Lifelines
- Cockpit Fridge
- Composite Davits
- Biminis on Port and Starboard Helm Station w/Windows
- Additional Helm Seat (port side)
- Aft Cockpit Cushions
- Forward net/skylounge cushions

TECHNICAL EQUIPMENT

- Engine Upgrade: 2 x 57 HP Yanmar 4JH57
- Twin Electric Engine Throttles at Helm Stations
- Pair of 3 Blade Folding Propellers
- Pre-Fitting Onan Genset 7.5kVA
- Inverter 2kVA
- Solar Panels on Davits (4 x 130W)
- Deck Wash Pump (Sea Water and Fresh Water)
- Honey Teak & White Lacquered Wood
- Fast & Furious Upholstery Tailored Pack
- Additional Berths in the Walk-In Dressing
- Fans in Salon and Cabins
- Slatted Berths
- Additional Fridge/Freezer Drawer in Salon 155L
- Reverse Cycle Air Conditioning
- TV Antenna
- Pre-Fitting for TV in the Salon
- Fusion Sound Pack in Salon and Cockpit



Anchor Kit

Standard Equipment

EXTERIOR:

- Vacuum infused hull and deck
- Polyester and high quality anti-osmotic resin
- Low density Balsa cored sandwich hull
- Grey gelcoat hull [Ral 7004]
- PET foam cored sandwich deck
- Roof : infujection & infusion with carbon reinforcements
- PET foam cored infused / Laminated plywood bulkheads, with carbon reinforcements

Sails:

- 1 square-top full-batten mainsail in Dacron® [color: white], horizontal cut
- 1 overlapping genoa in Dacron® [color: white], horizontal cut on furler, with orange UV cover

Rigging:

- Deck-steped anodized aluminium mast
- 2 spreaders sets
- Deck light and steaming light on mast
- Anodized aluminium boom
- Anodized aluminium crossbeam with fixing point for the forestay
- Coated upper and lower shrouds
- Forestay with genoa furler
- Adjustable lazy-jacks
- 2 shroud chainplates and 1 forestay chainplate on transversal beam
- Double braided 2:1 mainsail halyard Dyneema®/Polypropylene core
- Double braided génoa halyard Dyneema®/Polypropylene core
- Mainsail sheet, pre-stretched polyester, with Dyneema® strop
- 2 mainsail traveler lines, pre-stretched polyester
- 3 reef lines, pre-stretched polyester, with local Dyneema®and aramid reinforcements
- 2 genoa sheets, pre-stretched polyester
- 1 genoa furler line, pre-stretched polyester
- 1 boom uphaul, pre-stretched polyester

Deck Hardware:

- 2 manual winches size 50.2 STA
- Footblocks & clutches for halyards, reefing lines and sheets
- Main sail clew line lashing
- 1 mainsail track with ball-bearing trimmable traveler, leading blocks and clutches
- 2 genoa sheet cars on tracks, trimmable with pinstop
- 1 block, fairleads & clutch on deck for furling genoa maneuver

Mooring:

- Composite bowsprit [white] with integrated chain run, bow roller and mooring cleat
- Lewmar 1500W electrical windlass [10mm chain]
- 8 mooring cleats

Deck Equipment:

Main deck in white composite



- 2 flush deck hatches T60 to access bow lockers
- 4 flush deck hatches T10 with vent
- 4 flush deck hatches T44 with vent
- Sliding door 3 leaves
- 2 escape hatches under the stairs
- 1 GRP deck hatch for access to gas locker under cockpit seat
- 10 stainless steel stanchions 600mm
- Double stainless steel lifelines
- 4 Stainless steel handrails on coachroof
- Stainless steel handrails on transoms

Helm Stations:

- Main helm station on starboard:
 - Leather covered stainless steel steering wheel with brake [800mm]
 - o 2 engine panels
 - Mechanical engine throttles
 - Lines storage
- Secondary helm station on port:
 - Leather covered stainless steel steering wheel [800mm]

Aft Cockpit:

- L-shaped bench on port
- GRP cockpit table
- Daybed on starboard with storage locker
- Seat on aft beam with long storage locker

Forward Cockpit:

- Trampoline with black nylon thread
- Large deck areas for Sun pads
- 2 large GRP hatches for storage and technical access

Transoms:

- Stainless steel swim ladder [port]
- Hot/cold fresh water deck shower [port]
- 2 GRP hatches for engine compartment access

INTERIOR:

- Alpi Honey Teak woodwork [UV varnish]
- Plywork floor: Sand

Salon:

- L-shaped sofa [storage under seats]
- Wooden salon table
- Direct LED spots lighting
- LED indirect lighting
- Chart table with control pannel, storage and sliding top, red LED reading light

Galley:

- Port:
 - Laminated countertop [color : Grigio Sasso]
 - Double stainless steel sink



- 3-burner gas stove
- Built-in gas oven
- Trash bin
- Cutlery drawer
- Various storage
- Upper locker with fiddles
- LED indirect lighting
- Under-floor storage

• Starboard:

- Alpi Honey teak countertop
- Stainless steel fridge 130L / 34US Gal 12V
- Low storage
- Under-floor storage

• Owner's Suite:

- Independent access directly from salon
- Sliding door with storage
- Bed with side accesses [2 x 1.60m]
- 2 reading lights
- LED indirect lighting
- Bedside tables
- Large storage underneath mattress with front and top access
- Large desk with leaterette writing board and wide mirror
- o 3 level bookcase with fiddles & LED indirect ligthing
- 1 stool
- 2-door locker & large drawer
- 1 hanging closet
- Felt storage: folders on bulkhead
- 2 Panoramic hull windows with integrated opening porthole
- Shades for panoramic windows and ports
- Blinds and screens for deck hatches
- Adjoining primary sink with direct access
- Laminated countertop [color: Grigio Sasso]
- GRP sink with hot/cold water tap
- Storage units lockers [high and low] with fiddles & mirror
- Head access from companionway through wooden door
- GRP countertop
- Secondary GRP sink with hot/cold water tap
- Storage units lockers [high and low]Separate shower with Plexiglas door
- Manual sea water toilet
- Large forward walk-in dressing, with direct access via companionway
- Low storages, closed cabinet, shelves, oppened hanging wardrobe

• Forward Cabins:

- Bed with front access [2 x 1.95/1.35m]
- 2 reading lights
- LED indirect lightingBedside tables
- Double hanging closet with shelves
- Low storages
- Large storage underneath mattress with front and top access
- Felt storage: folder on bulkhead
- Panoramic hull window with integrated opening porthole
- Shade for panoramic window
- Blind and screen for deck hatch
- Aft Cabins:
- Bed with side accesses [2 x 1.60m]
- 2 reading lights
- LED indirect lighting



- Bedside tables
- Niche, hanging closet and closet with shelves
- Large storage underneath mattress with front and top access
- Felt storage: folder on bulkhead
- Panoramic hull window with integrated opening porthole
- Shade for panoramic window
- Blind and screen for deck hatch
- Portside Heads:
 - Access from companionway through wooden door
 - GRP countertop
 - GRP sink with hot/cold water tap
 - Lockers [high and low] with fiddles, led stripes & mirror
 - Separate shower with Plexiglas door
 - LED indirect lighting
 - Wet hanging locker in head's shower [Aft heads]
 - Manual sea water toilet
 - Blind and screen for deck hatch

SYSTEMS:

Engine:

- 2 diesel engines Yanmar 4JH45 [45HP] saildrive
- Propellers: 3-blade fixed propellers [18" x 14"]
- Engine compartment air extractor 12V

Steering System:

- Textile transmission steering system
- Link tube between the rudders
- 2 Rudders with stainless steel stock
- Emergency tiller

Fuel System:

- Rotomoulded tanks [2 x 200L | 53 US gal]
- Deck fuel fillers on aft beam [starboard and port]
- Fuel shut off valves under berths in aft cabins

Water System:

- Rotomould fresh water tank [300L | 79 US gal]
- Water pump 12V
- Water heater 40L / 10 US gal 230V with heat exchanger
- Shower pumps with automatic drain
- Black water tanks [2 x 80L | 2 x 21 US gal] with sea and deck drains
- 1 manual bilge pump per hull
- 1 automatic bilge pump per hull
- 1 Seanapps® connected bilge sensor per hull

Electrical System:

- 2 alternators 12V 125A
- 2 starting batteries 12V 50A [AGM]
- 2 service batteries 12V 95A [AGM]
- Service batteries breakers in port engine compartment
- Engine battery breakers in port and starboard engine compartments





- Engine batteries coupler port/starboard
- Charge balancer
- Main DC panel at chart table 12V
- Seanapps® connectivity Direct access to batteries tension and
- GPS positionning via mobile app
 - - USB socket integrated on main DC panel
 - - 12V socket in the chart table
 - Monitoring tank levels 2.4' screen
 - o Exterior lighting LED 12V
 - Interior lighting LED 12V
 - Navigation lights LED

Safety:

- Liferaft storage under aft beam
- Access to extinguisher nozzle port for engine compartment

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. Hours listed may vary from actual hours due to recent use. Purchaser is encouraged to verify hours prior to purchase. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

Disclaimer

The company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, withdrawal without notice, and tax when applicable.









+44 (0) 207 183 4393 • ENQUIRIES@TJBSUPERYACHTS.COM

24.11 CODA STUDIOS, 189 MUNSTER ROAD, FULHAM, LONDON, SW6 6AW, UK