

TOY 36

38' 3" (11.66m) | TOY MARINE |
2025



Type	Cruiser	Classification	--
Top	--	Class Type	--
Model	36	Builder	TOY MARINE
Manuf. Year	2025	Naval Architect	--
Refit Year	--	Interior Design	--
LOA	38' 3" (11.66m)	Hull	Fiberglass
Beam	12' 6" (3.81m)	Deck	--
Draft Min/Max	-- / 2' 11" (0.89m)	Engines	2x, Yanmar, 8LV, 320 HP
GRT	--	Max Speed	30 Knots
Fuel	264 Gal	Cruise Speed	26 Knots
Water	35 Gal	Range	--
Flag	--	Accommodations	3 in 1 strms

ASKING PRICE: (\$748,839 USD est.)
€650,000 EUR






















TOY 36, 38' (12m) Toy Marine, 2025

MAIN CHARACTERISTICS

Hull length 11,00 mt. 36.0 ft

Length overall 11,65 mt. 38.2 ft

Length at waterline 9,96 mt. 32.7 ft

Beam 3,80 mt. 12.5 ft

Draft (max) 0,90 mt. 2.9 ft

Displacement (half load) 8 tons.

Engines N. 2 YANMAR 320 HP

Transmission N. 2 RR 2.08 LP; V-drive gearboxes

Propulsion shafting In line prop shaft with submerged propellers

Steering system Hydraulic system with blade rudders

Fuel capacity 242 UK gallons (1000 Lt)

Maximum Theoretical Cruising

Autonomy 3000 RPM – 28 Knots = 300 Nautical Miles

Water Capacity 132 UK gallons (500 Lt)

Cruising speed 26 knots

Top speed 30 knots

Design: Nauta Design

Certification CE – B off shore

HULL AND STRUCTURES

- Vessel built in accordance with CE certification, cat. B offshore
- Sandwich hullsides and singleskin bottom.
- GRP swimming platform with teak gratings and folding swimming ladder
- Hinged transom door.
- Watertight bulkheads: bow - midship / engine room.
- Hydraulic trim tabs
- Antifouling bottom paint and red / white bootlines.
- Cathodic protection with sacrificial anodes

DECK

- Deck and superstructure with fly bridge laminated in GRP sandwich with PVCcore.
- White gelcoat finish with sprayed non-skid.
- N.2 cockpit sun beds on engine cockpit hatches and on foredeck.
- N.2 engine room hatches.
- N.1 systems locker hatch and anchor locker hatch.
- N. 4 handrails, on roof top and bow deck
- Stainless steel ladder to the fly bridge with steps made of teak wood.

Teak

- Cockpit, helm station and dinette sole covered with 10 mm teak and solid sidecoamings.
- Solid teak sheer line toe rail.

Hatches, portlights and windows

- Low profile deck hatches.
- Custom smoke grey plexi windshield.
- Windshield center section opening with upper hinges.
- N.2 wipers with freshwater washer. Pump connected to boat freshwater tank.
- Hatches handles and hinges in stainless steel.

Deck accessories

- Mooring and steaming light post.
- Teak Flagpole.
- Watertight inlet for shore power.
- Hidden deck shower with hot and cold fresh water.
- Courtesy foot-lights.
- Inox Swimming ladder withdrawn in the aft platform

Mooring system

- Anchor windlass 1000 W with remote switches at helm and forepeak, chain
- diameter 8mm
- Stainless Steel Trefoil type anchor Kg 10.
- Stainless Steel stem plate with mooring fairlead integrated.
- Galvanized 8 mm steel chain, 50 mt length with swivel.
- N. 6 flush deck cleats, N. 2 on the bow, N 2 mid ships, N. 2 at stern.
- N. 8 Pushlock along the toerail toward the CL. for fenders.

DECK FURNITURE

Dinette

- C shaped lounge with folding CL seat.
- Drawer below seats
- Teak covered hi-low table.
- Hatch with direct access to bilge area
- Hatch with access to fuel tank inspection

Galley

- Stainless steel sink with hot-cold mixer faucet.
- Refrigerator 110 l.
- Freezer sunk in countertop 50 l.
- Electric cooktop with two burners.

Steering station

- Double helm seat to the front of the galley.
- Helm console with instruments and engine controls and various, 1 Display 9”
- 3” magnetic compass.
- Electronic engine controls.
- Ongaro stainless steel steering wheel.
- Hydraulic steering pump.

Upholstery and canvas

- Dinette cushion with Sunbrella washable external cover.
- External cushions with closed cell rubber foam and with Sunbrella washable external cover.

INTERIOR FURNITURE

Interior material

- Furniture and bulkheads and hull linings off white lacquered with teak trims or
- teak/mahogany veneered, door frames bulkhead flush and teak doors.
- Cabin sole made of marine grade plywood and finished with teak, oak or
- mahogany veneer.
- Door handles, and interior fittings in polished stainless steel or satin finish.

Cabins

Twin size bed with “V” layout.

- - N. 2 hanging locker with drawers.
- - Drawers and storage under berth.
- - 220V 60hz outlet.
- - N. 1 opening deck hatch.

N. 1 sliding sofa / bed.

- - Cabinets and bookshelf.
- - Hatch and fixed porthole

Heads

- Sink with shower mixer & support. storage below and vanity mirror.

- Shower with teak gratin.
- Hot-cold lever mixer faucet.
- Electric toilet.
- 220 V AC 60hz outlet.
- Complete set of bathroom accessories.
- Opening deck hatch.

Upholstery

- Foam berth mattresses with lining.
- Bedspreads and cushions made of “ecru” fabric.
- Clear leather like vinyl ceilings.

ENGINES

- 2 engines YANMAR 370 hp. 8LV
- RR 2.08 LP reverse gearboxes.
- Stainless steel AISI 316 propeller shafts.
- PSS shaft log seals and bronze stuffing boxes.
- Bronze struts.
- Four blades propellers.
- Inox rudders blades 16/11V

Fuel system

- 50 mm Stainless steel fuel fills on deck with drain.
- Structural GRP fuel tank of 242 UK gallons (1000 lt) capacity, with stainless steel inspection and cleaning port including fills, supplying engines and generator.
- Tank level gauge at steering station.
- RiNa approved flexible fuel piping.
- Racor filter for each engine.

Cooling and exhaust system

- Engine cooling system with heat exchanger.
- Bronze seacocks with valve.
- Raw water strainers with removable stainless steel filters.
- Wet engine exhaust system with submersed exits and by pass for low rpm at stern under swimming platform.
- 4” Engine Exhaust.

Ventilation and insulation

- Engines air intakes from deck house sides grids.

- Engine hatches and engine room acoustically insulated with fireproof and washable material.

AUXILIARY EQUIPMENT

Fresh water system

- Stainless steel flush fill on deck.
- N°2 structural GRP 132 UK gallons (250 lt.) each tanks with inspection ports.
- Water level gauge at steering station.
- Fresh water pressure pump.
- 220V AC 60hz, 25 lt boiler.
- Water distribution system for galley, head and cockpit shower.
- Cockpit shower with hot and cold water.

Salt water system

- Raw water pressure pump.
- Manifold for distribution to WC
- Anchor locker chain washer.

Grey water system

- Grey water tank for head sink and shower including 12V drain pump.
- Galley sink with overboard discharge.

Black water system

- N. 1 electric toilets.
- Black water polypropylene tank with electric sump pump and Y valve.
- Alarm for full tank, valves manifold for dock / overboard discharge.

Bilge system

- N. 4 12V DC automatic bilge pumps. One in aft peak, one mid ship / engine bay, one for cabin / forepeak.
- Emergency engine room suction system (LUPE)
- Bilge pumps have automatic switch floats and manual override switches on helm console.

ELECTRIC SYSTEM

220 V AC 60hz

- Watertight inlet for shore power 32 Amp.
- Generator 6.0 KW 220V AC 60HZ.

12 V DC

- Service batteries set 12V 510 Ah.
- Engines and genset start batteries set 12V 200 Ah.

Electrical panels

- Main distribution panel.
- Batteries switch panel.
- 2 display 12".
- Cockpit control panel.

Equipment

- 1 12V 80 Ah battery charger.
- 2 12V 80A engine alternators.
- 1 Inverter 1000 W

Lighting

- Watertight led spots in head, dinette and galley.
- Led spots in accommodation.
- Bed reading lights.
- N. 4 watertight cockpit foot lights.
- C.E. approved navigation lights.

Various

- Register approved navigation lights. Switches for navigation lights on helm console.
- Earthing system.
- Cathodic protection with sacrificial anodes.

INSTRUMENTS

- N. 1 VHF
- Integrated Hi-Fi music system, 2 dinette speakers and 2 watertight speakers in cockpit.

VARIOUS

- Firefighting system in engine compartment with emergency control installed at steering station.

Delivery and documents

- Sea trials.
- System test.
- CE / RINA certification (12 people).
- CE approved owner's manual.