



LOA: 13' 7" (4.14m)

Beam: 8' 4" (2.54m)

Max Draft: 8' 7" (2.62m) **Clearance:** 8' 8" (2.64m)

Tonnage: 0.00

Speed: 2 Knots 3 Knots

Flag: USA

Location: Everett, Washington

United States

VAT Paid: No Duty Paid

Delivery/Model 1995

Year:

Model: 5 person submarine

Builder: PERRY

Type: Submersible

Pressurized

Engines: 2x, Tecnadyne Electric

Thrusters, 5 HP

Price: \$795,000 USD

Additional Specifications For ANTIPODES:

LOA: 13' 7" (4.14m) **Beam:** 8' 4" (2.54m)

Max Draft: 8' 7" (2.62m)

Hull Material: Steel
Hull Config: Other

Hull Designer: Perry SubmarinesDeck Material: Nonskid painted

Range At Cruise

Speed:

Range At Max

Speed: Cruising 2 Knots

Max 3 Knots

Int Designer: Perry Submarines

Ext Designer: Perry Submarines

Flag: USA

Location: Everett, Washington

United States

Price: \$795,000 USD

Tax Status: No Duty Paid

Delivery/Model 1995

Year:

Year Built: 1973 Refit Year: 2013 Builder: PERRY

Model: 5 person submarine

Type: Submersible Pressurized

Top: Enclosed Pilothouse

Engines: 5 HP,Twin, Electric, Tecnadyne

Electric Thrusters,

Crew Quarters: 5


Captain Cabin: No

Classifications: American Bureau of Shipping +A1

Submersible

MCA: ISM:

ANTIPODES




Underwater




Instrumentation



Profile



Thruster and Battery Compartment



In a slip



Launching from Travelift



Front View



Warehouse



Exterior




Transport



At Tow in Seattle



Antipodes on surface




Exterior



Imagine Equipment



Jellyfish at Depth



Survey of Wreck

