



world yacht group

Experts in luxury yachts

## AUDACE 80 ICE



<b>LOA:</b>	84' (25.59m)	<b>Delivery/Model Year:</b>	2026
<b>Beam:</b>	21' 4" (6.48m)	<b>Model:</b>	AUDACE
<b>Tonnage:</b>	0.00	<b>Builder:</b>	MOSTES
<b>Speed:</b>	9 Knots 13.5 Knots	<b>Type:</b>	Motor Yacht Displacement
<b>Location:</b>	Genoa, Liguria Italy	<b>Staterooms:</b>	5
<b>VAT Paid:</b>	VAT Unpaid	<b>Fuel Cap:</b>	16000 L (4226.75 Gal)
		<b>Water Cap:</b>	2500 L (660.43 Gal)
		<b>Engines:</b>	2x, MAN, D 2876 280, 375 HP
		<b>Price:</b>	(\$6,727,794 USD est.) €5,980,000 EUR

Generated On 5/10/2025 10:27 PM by WORLD YACHT GROUP SVC Account

**WORLD YACHT GROUP USA**

**WORLD YACHT GROUP SVC**

**AUDACE 80 ICE**

**Account**

**info160920210306@world-yacht-  
group.com**

**worldyachtgroup.com**

Page 1 of 7

### Additional Specifications For AUDACE 80 ICE:

<b>LOA:</b>	84' (25.59m)	<b>Delivery/Model</b>	2026
<b>Beam:</b>	21' 4" (6.48m)	<b>Year:</b>	
<b>Min Draft:</b>	5' 7" (1.7m)	<b>Year Built:</b>	2026
<b>Hull Material:</b>	Steel	<b>Builder:</b>	MOSTES
<b>Superstructure:</b>	Aluminum	<b>Model:</b>	AUDACE
<b>Deck Material:</b>	Teak	<b>Type:</b>	Motor Yacht Displacement
<b>Range At Cruise Speed:</b>		<b>Engines:</b>	375 HP,Twin, 2020, Inboard, Diesel, MAN, D 2876 280,
<b>Range At Max Speed:</b>		<b>Staterooms:</b>	5
<b>Speed:</b>	Cruising 9 Knots	<b>Captain Cabin:</b>	No
	Max 13.5 Knots	<b>Classifications:</b>	
<b>Fuel Capacity:</b>	16000 L (4226.75 Gal)	<b>MCA:</b>	<b>ISM:</b>
<b>Water Capacity:</b>	2500 L (660.43 Gal)		
<b>Location:</b>	Genoa, Liguria Italy		
<b>Price:</b>	(\$6,727,794 USD est.) €5,980,000 EUR		
<b>Tax Status:</b>	VAT Unpaid		

## **ACCOMODATION**

5 cabins: the Owner, the Vip, two double cabins and a double cabin with bunk beds.

A crew cabin.

The bathrooms have marine plywood floors covered in laminate, corian vanity tops, laminate shower cabin with teak shower tray.

Shower door: in tempered glass with stainless steel uprights (with door stop during navigation)

The floors in the saloon, corridors and cabins are in marine plywood covered with oak essence.

In the galley room the floors are in non-slip pvc and the exposed surfaces are in laminated marine plywood with beech finish and solid wood on the edges.

## **NAVIGATION INSTRUMENTS**

The configuration of the RAYMARINE navigation system is as follows:

- N. 2 x AXIOM Pro RVX 16 "
- N. 3 x AXIOM Pro 12 "
- N. 1 radar antenna open array super hd color 4 kW48 "
- N. 1 open array radar antenna super hd color 12 kW 48 "
- N. 2 GPS antenna RS 150
- N. 1 Autopilot P70 with EV 300 package for c.r. pumps with Tiller Follow On control unit
- N. 1 Wind station with i70 display
- N. 1 VHF RAY 90 radio
- N. 1 AIS 700 rx / tx with built-in splitter
- N. 2 AX8 cameras for the engine room
- N. 3 CAM 220 IP cameras
- N. 1 Antenna STV 60
- Cable set for NG and Raynet network
- WI-FI system on all bridges

## **EQUIPMENT**

- Gearboxes: 2 x ZF W325 reduction of 4,048: 1
- Electricity generation system: 3 x generators: n ° 2 from 40 Kw - 50 Hz / n ° 1 from 25 Kw - 50 Hz ONAN
- Stabilization system: 2 x MC 2 EXTRA LARGE QUICK gyro stabilizers for a total of 160 t of exercise
- Desalinator: 2 x SELMAR reverse osmosis desalinators hourly capacity 150 l / h each
- Ballast: 7.450 liters
- Walkway: foldaway with automatic chandeliers and teak grating. Dimensions: length 5 m, width 4,8 m: OPAC SEA
- Bathing platform: made up of 2 arms with a capacity of 800 kg. Salts / drops handling. Covered in teak. Dimensions: 5 m x 1.70 m: OPAC SEA
- Tender handling system: telescopic davits and hydraulic hoist. Rotation from 0 ° to 270 °. Load capacity 600 kg.
- Bow thruster: QUICK
- Stern thruster: QUICK
- Number of anchor windlasses: QUICK
- N ° 2 stern trap: QUICK
- Service davit: OPACMARE
- No. 2 VICTRON battery chargers
- No. 2 VICTRON battery chargers
- N ° 1 VICTRON battery chargers
- N ° 2 VICTRON Inverter 5 kW each
- machine ventilation
- bilge pump
- fire pump
- Double Autoclave
- Hot water boiler
- Double CLIMMA air conditioning system
- Power panel sub-frame
- Power supply under the kitchen
- Supply boards under bridges (1 for each habitable or technical space, individual or grouped in bridges)
- Power supply under the wheelhouse
- GMDSS panel power supply
- No. 2 lines available in three phases as an installed reserve
- N ° 2 lines available in single phase as reserve installed

PHOTO-2021-03-06-14-02-56



PHOTO-2021-03-06-14-02-57-1



Generated On 5/10/2025 10:27 PM by WORLD YACHT GROUP SVC Account

**WORLD YACHT GROUP USA**

**WORLD YACHT GROUP SVC**

**AUDACE 80 ICE**

**Account**

**info160920210306@world-yacht-**  
**group.com**

**worldyachtgroup.com**

Page 5 of 7

PHOTO-2021-03-06-14-02-57-2




PHOTO-2021-03-06-14-02-57-3



Generated On 5/10/2025 10:27 PM by WORLD YACHT GROUP SVC Account

**WORLD YACHT GROUP USA**

**WORLD YACHT GROUP SVC**

**AUDACE 80 ICE**

**Account**

**info160920210306@world-yacht-  
group.com**

**worldyachtgroup.com**

Page 6 of 7

PHOTO-2021-03-06-14-02-57-4



PHOTO-2021-03-06-14-02-57



Generated On 5/10/2025 10:27 PM by WORLD YACHT GROUP SVC Account

**WORLD YACHT GROUP USA**

**WORLD YACHT GROUP SVC**

**AUDACE 80 ICE**

**Account**  
**info160920210306@world-yacht-**  
**group.com**  
**worldyachtgroup.com**

Page 7 of 7